



# LIGHTING

STRIP LIGHT

12" STRIP LIGHT



Warm white light - White  
Part No. L-1123-W



Cool white light - White  
Part No. L-1126-W

16" STRIP LIGHT



Warm white light - White  
Part No. L-1163-W



Cool white light - White  
Part No. L-1166-W

16" U-CABINET LIGHT



w/ 2 Rows warm white light  
Part No. L-2164-W

**PLASTIC**

Warm white light - Black  
Part No. L-3703-BL

Cool white light - Black  
Part No. L-3706-BL



Warm white light - Nickel  
Part No. L-3703-SN

Cool white light - Black  
Part No. L-3706-SN



Warm white light - White  
Part No. L-3703-W

Cool white light - White  
Part No. L-3706-W



**METAL**

Warm white light - Nickel  
Part No. L-4703-SN

Cool white light - Nickel  
Part No. L-4706-SN



**CORDS & CONNECTORS**

**POWER CORDS**



6 ft. power cord - no switch  
Part No. L-5600-W



6 ft. power cord - with switch  
Part No. L-5601-W

**CONNECTORS**



Butt connector  
Part No. L-500-W



12" connector  
Part No. L-512-W



36" connector  
Part No. L-536-W



On/Off connector w/4" cord both sides  
Part No. L-555-W

**LED CABINET LIGHTING**




**LED LIGHT BARS & LED PUCK LIGHTS**

(For kitchens, bathrooms, closets, cove, showcases etc.)

- Low voltage (12V DC) / Easy wiring
- Long lasting & efficient
- Slim and compact
- Available in (3) color temperatures
- Each light comes with 8ft of wire
- Puck lights and LED bars use the same power supply.

**Color Temperatures:**

Warm White(WW) 3200K  
Natural White(NW) 4500K  
Bright White(BW) 6000K



LED Bar



LED Puck Light

PART NO.	DESCRIPTION	DIMENSIONS	POWER	WATT
40744	LED Puck light Bright White Light - White Trim 6000K	2 3/4" x 1 1/2"	12V Dc	1.5
40745	LED Puck light Bright White Light - Black Trim 6000K	2 3/4" x 1 1/2"	12V Dc	1.5
40746	LED Puck light Bright White Light - Gray Trim 6000K	2 3/4" x 1 1/2"	12V Dc	1.5
40747	LED Puck light Bright White Light - Chrome Trim 6000K	2 3/4" x 1 1/2"	12V Dc	1.5
40749	LED Puck light Natural White Light - Gray Trim 4500K	2 3/4" x 1 1/2"	12V Dc	1.5
40701	LED BAR 11" 12V Dc Bright White light 6000K	3/4" X 5/16"X 11"	12V Dc	1.5
40702	LED BAR 11" 12V Dc Natural White light 4500K	3/4" X 5/16"X 11"	12V Dc	1.5
40706	LED BAR 15" 12V Dc Bright White light 6000K	3/4" X 5/16"X 15"	12V Dc	2
40707	LED BAR 15" 12V Dc Natural White light 4500K	3/4" X 5/16"X 15"	12V Dc	2
40710	LED BAR 19" 12V Dc Bright White light 6000K	3/4" X 5/16"X 19"	12V Dc	3
40711	LED BAR 19" 12V Dc Natural White light 4500K	3/4" X 5/16"X 19"	12V Dc	3
40713	LED BAR 23" 12V Dc Bright White light 6000K	3/4" X 5/16"X 23"	12V Dc	3
40714	LED BAR 23" 12V Dc Natural White light 4500K	3/4" X 5/16"X 23"	12V Dc	3
40717	LED BAR 29" 12V Dc Bright White light 6000K	3/4" X 5/16"X 29"	12V Dc	4
40718	LED BAR 29" 12V Dc Natural White light 4500K	3/4" X 5/16"X 29"	12V Dc	4
40720	LED BAR 36" 12V Dc Bright White light 6000K	3/4" X 5/16"X 36"	12V Dc	5
40721	LED BAR 36" 12V Dc Natural White light 4500K	3/4" X 5/16"X 36"	12V Dc	5
40723	LED BAR 42" 12V Dc Bright White light 6000K	3/4" X 5/16"X 42"	12V Dc	5
40724	LED BAR 42" 12V Dc Natural White light 4500K	3/4" X 5/16"X 42"	12V Dc	5

**Please specify the required color temperature with your order.**


- Actual length is always smaller to leave room for the wires.

LED LINEAR LIGHTING II


**Two times (2X) the Light Output of our Cabinet Lighting.**

LED Bars II are our **mid-range light bars**. They measure no more than 3/4" wide and are available up to 8 ft in length. Lens options are clear or frosted. With the clear lens option you would see the LED dots but the frosted lens option gives you **dot free lighting**. The trade-off with frosted lens is that you lose 20-30% lumens.

LED BAR II with clear lens, light output 270 lumens/FT



**DOT FREE** LED BAR II with frosted lens, light output 190 lumens/FT



PART NO.	DESCRIPTION	TEMP. / COLORS	WATT
LEDBARII24	LED Light Bar II 24" Long 12V Dc	WW, NW, BW	6
LEDBARII36	LED Light Bar II 36" Long 12V Dc	WW, NW, BW	9
LEDBARII48	LED Light Bar II 48" Long 12V Dc	WW, NW, BW	12
LEDBARII60	LED Light Bar II 60" Long 12V Dc	WW, NW, BW	15
LEDBARII72	LED Light Bar II 72" Long 12V Dc	WW, NW, BW	18
LEDBARII98	LED Light Bar II 96" Long 12V Dc	WW, NW, BW	24

**Please specify the profile (B, K, L), the lens (clear or frosted) and color temperature with your order.**

All LED bars come with 8ft of wire and clips for installation. Cut to size add \$20.00 to each LED bar. All LED Bars are 12V DC and require a remote power supply.

**LED LINEAR LIGHTING III**


**Four Times (4X) the Light Output of our Cabinet Lighting.**

LED Bars III are our **high output lighting**. There are four different profile options. They are available up to 72" in length. Lens options are Clear or White. With the clear lens you get the most lighting output and the LED dots are visible. With the white lens option you get a dot free lighting.


The trade-off with the white lens is that you lose 35% of the lumens.

Profile "P" comes with cables to be suspended from the ceiling. Profile "Q" is for recessed applications and comes with spring fasteners. Profile "T" and "U" are fastened to walls or framing with screws. They project the light in 45 degrees angle.

LED BAR III with clear lens, light output 540 lumens/FT



**DOT FREE** LED BAR III with white lens, light output 350 lumens/FT




PART NO.	DESCRIPTION	TEMP. / COLORS	WATT
LEDBARIII24	LED Light Bar III 24" Long 12V Dc	NW, BW, RGB	12
LEDBARIII36	LED Light Bar III 36" Long 12V Dc	NW, BW, RGB	18
LEDBARIII48	LED Light Bar III 48" Long 12V Dc	NW, BW, RGB	24
LEDBARIII60	LED Light Bar III 60" Long 12V Dc	NW, BW, RGB	30
LEDBARIII72	LED Light Bar III 72" Long 12V Dc	NW, BW, RGB	36

**Please specify the profile (P,Q,T,U), color temperature and lens option with your order.**

RGB is only available in 3 watts/FT and requires LED Controller to operate. All LED Bars are 12V DC and require a remote power supply. Refer to power supplies selection page.

LED STRIPS ACCESSORIES



40003 LED driver for LED bars with 6 outputs 12VDC 18 watts



40132 8ft Extension for LED Bars



40004 Power Adaptor 12V Dc 36 watts



40131 6 Way Distributor for LED bars



M12V40 Dimmable Magnetic Driver 12VDC 40 watts



40200 Inline dimmer for LED 12V Dc 48 watts



40203 Mini Dimmer III with RF remote 12V 24 watts



40201 RGB Controller with IR remote control



**Complete Kit with power supply and controller.**

Available in 8ft and 16ft. Waterproof and Non-Waterproof / White, Warm White & RGB.



**RGB Kits**

PART NO.	DESCRIPTION
LEDRGBKIT823	LED RGB Strip Lighting kit 8ft Non-waterproof
LEDRGBKIT1623	LED RGB Strip Lighting kit 16ft Non-waterproof
LEDRGBKIT865	LED RGB Strip Lighting kit 8ft Waterproof
LEDRGBKIT1665	LED RGB Strip Lighting kit 16ft Waterproof



**White Kits**

PART NO.	DESCRIPTION
LEDWKIT823	LED White Strip Lighting Kit 8Ft Non-Waterproof
LEDWKIT1623	LED White Strip Lighting Kit 16Ft Non-Waterproof
LEDWKIT865	LED White Strip Lighting Kit 8Ft Waterproof
LEDWKIT1665	LED White Strip Lighting Kit 16Ft Waterproof
LEDWWKIT823	LED Warm White Strip Lighting Kit 8Ft Non-Waterproof
LEDWWKIT1623	LED Warm White Strip Lighting Kit 16Ft Non-Waterproof
LEDWWKIT865	LED Warm White Strip Lighting Kit 8Ft Waterproof
LEDWWKIT1665	LED Warm White Strip Lighting Kit 16Ft Waterproof



**LED TV BACK LIGHTING**



Can also be used to light up back of furnitures and mirrors.  
Available in (3) sizes.

PART NO.	DESCRIPTION
LEDTVKIT40	TV back Lighting for TV 28"-40"
LEDTVKIT60	TV back Lighting for TV 41"-60"
LEDTVKIT80	TV back Lighting for TV 61"-80"

**LIGHTED GLASS SHELVES**

These shelves add a new dimension to your projects. These can be used in any space to display art pieces, collectibles etc. The glass is LOW IRON which is great for lighting and is tempered for safety. Each unit comes with (2) satin chrome clips for support. An adaptor and remote controller are also included.  
Available in these sizes.



PART NO.	DESCRIPTION
LSKITLI1018	10"x18" Low Iron Glass Lighted shelf kit
LSKITLI1024	10"x24" Low Iron Glass Lighted shelf kit
LSKITLI1030	10"x30" Low Iron Glass Lighted shelf kit